



中国检验认证集团

China Certification & Inspection Group



中国检验检疫科学研究院

Chinese Academy of Inspection and Quarantine



检科测试集团

CAIQTEST Group



230020343606

检验检测报告

INSPECTION AND TEST REPORT

报告编号: BJSHJ24000876

样品名称

厂界大气污染物

检测类别


委托检测

委托单位

北京绿色动力再生能源有限公司

签发日期

2025 年 01 月 15 日



中检科(北京)检测技术有限公司

CAIQTEST | 230020343606

重要声明

Important Statement

1. 本检验检测报告由报告封面和报告内容组成。无报告封面，以及报告内容不完整的，报告无效。

This test report consists of cover and contents. If the report has no cover or the contents of the report are not complete, the report shall be invalid.

2. 检验检测报告封面或报告结论或骑缝位置处无本单位检验检测专用章、复印件未重新加盖检验检测专用章、签字不完整、涂改或增删的，报告无效。

If the cover, conclusion or cross-page place of the report is not stamped with the special seal for test of CAIQTEST, or if any copy is not re-stamped with the special seal for test, or if the signature is incomplete, altered, increased or deleted, this report shall be invalid.

3. 本报告中委托方信息、样品信息均由委托方提供并确认，由委托方承担证实信息准确性、完整性的责任。

The information of client and samples in this report is provided and confirmed by the client; the client is responsible to verify the accuracy and completeness of such information.

4. 委托方自行送检的样品，检测结果仅适用于收到的样品，与被测样品取样的来源无关。

The test results are only applicable to the samples received by the laboratory, and are not applicable to the source of the samples.

5. 本实验室对检测结果（数据）做检测数据保密。不对外公开检测数据信息，仅作为内部、客户或内部质量使用。

This lab request will not disclose the detection data (data) to the outside world. It is only used for internal, customer or internal quality use.

6. 本实验室批准。不对外公开（金大生检测所）报告。

Without the approval of CAIQTEST, this report may not be disclosed (except and approved) to the outside.

7. 本实验室禁止篡改。不得将检测数据篡改或删除。

Without the written consent of CAIQTEST, this report may not be altered or deleted in any way.

8. 本实验室检测所有样品，必须严格按照检测标准进行检测。不得私自更改检测方法、检测标准、检测数据。除客户检测数据外，均视为无效。

In your laboratory, all samples must be tested according to the detection standard. You must not change the detection method, detection standard, or detection data. Except for the detection data of the customer, all are invalid.

.....

地址：深圳市宝安区西乡街道西乡社区西乡大道1001号
Address: Gaoji Road, Xixiang Community, Xixiang Road, 1001 No.
电话：400-000-1100
Tel: 400-000-1100
网址：www.caiqtest.com
Website: www.caiqtest.com

检验检测报告

5.二氧化硫	HJ 482-2009环境空气 二氧化硫的测定 甲醛吸收-副玫瑰苯胺分光光度法及修改单			
6.臭气浓度	HJ 1262-2022 环境空气和废气 臭气的测定 三点比较臭气袋法			
7.总悬浮颗粒物	HJ 1263-2022 环境空气 总悬浮颗粒物的测定 重量法			
8.氨	HJ 533-2009环境空气和废气 氨的测定 纳氏试剂分光光度法			
	仪器名称	仪器编号		
	风速仪	JC20L019		
		JC15L026/JC15L027/JC18L034/JC18L036/		

[illegible]

检验检测报告

报告编号 (No.): BJSHJ24000876

共 12 页, 第 2 页

样品标识	样品编号	检测项目	单位	检出限	检测值	平均值	浓度 差值	最大值
------	------	------	----	-----	-----	-----	----------	-----

下风向 2# 第一次	BJSHJ24000876004	总悬浮颗粒 物	µg/m³	7	195	/	129	/
下风向 3# 第一次	BJSHJ24000876007		µg/m³	7	231	/		/
下风向 4# 第一次	BJSHJ24000876010		µg/m³	7	287	/		/
上风向 1# 第二次	BJSHJ24000876002	总悬浮颗粒 物	µg/m³	7	185	/	239	/
下风向 2# 第二次	BJSHJ24000876005		µg/m³	7	424	/		/
下风向 3# 第二次	BJSHJ24000876008		µg/m³	7	297	/		/
下风向 4# 第二次	BJSHJ24000876011		µg/m³	7	298	/		/

检验检测报告

报告编号 (No.): RISHI24000876

共 12 页, 第 8 页

[illegible]

检验检测报告

报告编号 (No.): BJSHJ24000876

共 12 页, 第 9 页

样品标识	样品编号	检测项目	单位	检出限	检测值	平均值	浓度 差值	最大值
下风向 2# 第一 轮 第二次 下风向 2# 第一	BJSHJ24000876122		mg/m ³	0.3	1.0			/

检验检测报告

报告编号 (No.): BJSHJ24000876

共 12 页, 第 11 页

样品标识	样品编号	检测项目	单位	检出限	检测值	平均值	浓度 差值	最大值
下风向 4# 第三轮 第二次	BJSHJ24000876154	臭气浓度	mg/m³	0.3	0.9	/	/	/
下风向 4# 第三轮 第三次	BJSHJ24000876155		mg/m³	0.3	1.0			
下风向 4# 第三轮 第四次	BJSHJ24000876156		mg/m³	0.3	1.0			
上风向 1# 第一次	BJSHJ24000876157		无量纲	10	<10	/	/	<10
上风向 1# 第二次	BJSHJ24000876158	臭气浓度	无量纲	10	<10	/	/	
上风向 1# 第三次	BJSHJ24000876159		无量纲	10	<10	/	/	
上风向 1# 第四次	BJSHJ24000876160		无量纲	10	<10	/	/	

—本页面下页—

检验检测报告

报告编号 (No.): BJSHJ24000876

共 12 页, 第 12 页

附件1 采样点位图

中检科(北京)测试技术有限公司

采样点位图

