

2025 1

			91 4509003295882251
			17777505851
			15277109148
	84		58400
	2019 7 4		D4417 -
	109° 53 3.01 , 22° 8 2.00		
	2* 400t/d		1*15MW
	800t,		

1

SNCR

+

+


78000Nm³/h

2019. 7

+

+

2



			2016 21		2016. 3. 17
	2020 8				

	1		2	DAC01	109° 53 3. 01	
	2			DAC02	22° 8 2. 00	
			914509003295882251001Q			
			2022 12 06		2027 12 05	

			450923- 2023- 001- L		2023. 04. 13
--	--	--	----------------------	--	--------------

		mg/m ³	30	100	300	100	60
		mg/m ³	20	80	250	80	50
#1 mg/m ³	1	5.908	28.721	200.89	3.096	14.255	
	2	5.887	13.15	229.666	8.288	20.71	
	3	4.662	19.38	236.369	4.954	22.224	
#2 mg/m ³	1	5.357	27.473	196.142	5.016	8.734	
	2	5.036	6.865	192.286	10.544	6.918	
	3	4.722	16.174	198.61	12.422	7.894	
#1 2							
t/a		1.68452	6.07793	63.69868	2.47	4.49	
t/a		12.64	94.96	303.92	/	/	
		GB18485-2004					

2025 1

1

2025 1

2

2025 2

3

2025 3